APPENDIX E

1 of 2

OFFICE OF

SHELBY COUNTY MEDICAL EXAMINER

REGIONAL FORENSIC CENTER 1060 MADISON AVENUE MEMPHIS, TN 38104-2106

J.T. PRANCISCO, M.D. MEDICAL INCAMPRE 901-448-428

-CARE .



21 February 2000

Mr. John Campbell
Asst. Attorney General
201 Poplar Ave.
Memphis. TN 38103

Dear Mr. Campbelk

I have reviewed the Report of Investigation by County Medical Examiner for Shelby Co. Temessee, Care CS1-1699 on Should D. Oliver and his following Autopsy Report AS1-351, performed on August 6, 1981 by Dr. James Sponcer Bell, M.D. I have also examined the twelve remaining Polaroid® photographs, chest x-ray and the histology slides (including those of Gunshot Wound "A"). As a result, I have some to the following conclusions:

- Dr. Bell's description of the wounds placing the cutrance wound at the left chast and the exit wound at the right back is correct.
- The entrance wound is \$0/100 of an inch in diameter, the exit wound is 64/100 by 21/100 of an inch in dimension.
- The wounds could have been made by the Windhaster-Western 45ACF Silverrip @ 185 grain hollowpoint buller.

Accounts referring to expert testimenty for Mr. Watteman's defense stated the exit wound is only one-quarter inch in dimension and therefore inconsistent with that expected from a buller of this type. This claim is not aubstantished for the following ressons.

- The exit wound is larger than one-quarter of an inch, measuring 64/100 by 21/100 of an inch in dimension. Given the dynamics under which a bullet exits for backy, this wound is of single size to allow this bullet to exit.
- Assumptions claiming this builet design deforms easily, producing a much larger districtor projectile, fragments ossily and is unlikely to exit are generalizations, that do not reflect the variety of results seen even under ideal conditions.
- Hollowpoint builets may fall to expand appreciably even under laboratory conditions. Autopsy experience shows the design falls even more frequently.

I also reviewed photographs depicting wounds over Mr. Workman's body, these injuries are consistent with dog. bites, inconsistent with buokshot or birdshot wounds.

Wannest regards,

C. C. Smith, M.D.